

Flashlight 18650 Li Ion Battery 3.7V , 4400mah Cylindrical 18650 Lithium Ion Cells

Our Product Introduction

Basic Information

- Place of Origin: China
- Certification: UL,CE,ROHS,CB,UN,etc
- Minimum Order Quantity: 100PCS
- Price: Negotiable
- Packaging Details: Standard Export Carton,Wooden Case ,Pallet etc.
- Delivery Time: 7~30 days
- Payment Terms: T/T
- Supply Ability: 3500 Per Months



Product Specification

- Cell Material: Lithium Iron Phosphate Battery/Ternary/NIMH/NCM/Coltbat,etc
- Cell Brand: EVE/BYD/CATL/SUMSUNG,etc
- Cycle Times: 800 Times
- Discharging Cut-off Voltage:3.0V
- OEM/ODM: Acceptable
- Standard Discharging Current: 0.2C
- Storage Temperature: -5°C~35°C
- Max.Charging Current: 3A
- Highlight: **Flashlight 18650 Li Ion Battery 3.7V, Cylindrical 18650 Li Ion Battery 3.7V, 4400mah Cylindrical 18650 Lithium Ion Cells**



Product Description

Pollution Free No memory Effect 3.7V 4400mah 18650 EVE Lithium Battery for Electric Torch or Flashlight

Quick Details:

High Energy Density,High Discharge Rate,High Safety

Flexible packaging, laminated type, lean liquid, good safety

Low Internal Resistance,No Memory Effect

Great Factory Price with Best Quality and After-Selling Service

Longer Cycle Life Time than Original Battery

Light weight, small size, size can be customized

BMS&PCM function: Over-charge protection, Over-Discharge protection, Over-current protection, Short Circuit protection, High Temperature protection, Balance Charge/Discharge protection

Application: Bluetooth headset batteries, smart bracelet batteries, cleansing instrument batteries, ordering machine batteries, cleansing instrument batteries, various instruments batteries, beauty instruments batteries, Bluetooth headphones batteries, MP4 batteries, MP5 batteries, card speaker batteries, wireless mouse batteries, mobile phone millet display PSP built-in battery batteries, sports watch batteries, DVD/DSC/DVD/Portable LCD TV batteries.Portable CD player batteries, Semiconductor-driven audio batteries, access control card batteries, etc.

Product Specification	
Nominal Voltage	3.7V
Nominal Capacity	4400mAh
Standard Charging Current	0.2C
Max.Charging Current	3A
Charging Cut-off Voltage	4.2V
Standard Discharging Current	0.2C
Max.Cont Discharging Current	3A
Discharging Cut-off Voltage	3.0V
Battery Type	18650
Cell Brand	EVE
Charging Temperature	0~45°C
Discharging Temperature	-20~60°C
Storage Temperature	-5°C~35°C
Cycle Life Time	300 cycles(≥80%)
Packing Material	Carton









What can we offer?

1. Competitive price: factory price, we can give you more discount if order quantity is good.
2. Technical support : we have 60 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
3. Quality Assurance: we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
4. After-sale service: we have excellent after-sale service team, if you have any question about this product, please feel free to contact us, we'll reply you within 12 hours.
5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Delivery Methods:

- ① By express UPS/DHL/FEDEX/TNT (It takes 5~7 days to arrive).
- ② By airfreight (It takes about 7~10 days to arrive) .
- ③ By sea shipment (It takes about 30 days to arrive).



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong
Province, China