



No Memory Effect High Output Power 3.84KWH SANYO LifeP04 100% DOD With Monitor For Home Solar Storage Backup Systems

Basic Information

Place of Origin: China

• Certification: UL, CE, ROHS, etc

Minimum Order Quantity: 100PCSPrice: Negotiable

Packaging Details: Standard Export Carton, Wooden Case

,Pallet etc.

• Delivery Time: 7~30 days

Payment Terms: T/T

Supply Ability: 3500 Per Months



Product Specification

Cell Material: Lithium Iron Phosphate

Battery/Ternary/NMC/NIMH,etc

Cell Brand: CATL/BYD/Domestic/SANYO/Sumsung/Panasonic,etc.

Cell Shape: Cylindrical /Customized
Voltage: 12.8V/Customized
Capacity: 300AH/Customized

Life Cycle Times: 6000 TimesCommunication: RS485/RS232

Harging Cut-off Voltage: 14.6VIP Grade: IP25Charge Method: CC/CV

• Highlight: No Memory Effect LifeP04 Lithium Battery,

High Output Power LifeP04 Lithium Battery,

3.84KWH LifeP04 Lithium Battery

Product Description

No Memory Effect High Output Power 3.84KWH SANYO LifeP04 100%DOD With Monitor For Home Solar Storage Backup Systems

Features:

Pollution Free ,Lithium Iron Phosphate battery is free of Pb, Cd, Hg, Cr6+, PBB and PBDE, it is an environmental friendly chemical power source.

High capacity: The capacity is double than that of Ni- Cd battery in same size, which can be highly increased with improving of product features.

Long cycle life. More than 300 charge/discharge cycles under normal use.

Safety and Reliability.Lithium Iron Phosphate battery's product safety system is quite perfect.

With best performance in a wide temperature range 0°C--45°C;

Specially designed battery used in high or low temperature.

No memory effect, it can be charged at any stage, economically and conveniently

Maintenance -free and wide application

Application: Golf Cart, Golf Trolley, Electric motorcycle, 3-wheels vehicle, Low Speed EV, Residential Apartments ,Villas, Townships, Villages and Residential Societies, Showrooms, Banks, Restaurants, Clubs/Spas, Breweries, Small offices, Educational Institutions, Government Buildings, Commercial Establishments, Specialty Clinics, Pathology Labs, Recreation Facilities, Bowling Alleys/Cable Operators/Hospitality /Hotels/Restaurants/Pubs/Bars, /Discotheques/Cold Chain and Data Centers/Telecommunication base station/Drone batteries, Motorcycles batteries, cars batteries, buses batteries, trucks batteries, yachts batteries, Launch batteries, ships batteries, Tricycles batteries, Pedicab batteries, racing cars batteries, three wheeler vehicle batteries, Limousine batteries, Bank Power supply systems batteries, UPS batteries, Solar Energy Storage batteries, wind Energy Storage batteries, Hospital Power Supply system batteries, cars batteries, RV batteries, home solar system, Camper batteries, tuk-tuk batteries, sightseeing bus batteries, Pedicab batteries, yacht batteries, three wheeler vehicle batteries, Bank Power supply systems batteries, UPS batteries, Tricycles batteries, Limousine batteries, Telecom Stations batteries, Solar Energy Storage batteries, Wind Energy Storage batteries, Hospital Power Supply system batteries, Home Power System batteries, etc.

Why you choose us?

- 1. We can provide OEM service ,custom your logo both on the product and the packing you want!
- 2. High quality products ,all of the products must passed strict QC before shipping ,0.01% defective rate!
- 3. Fastest response rate ,save your time and easy your business!
- 4. Safe payment methods ,Safe business ,we support T/T,western union ,paypal,trade assurance
- 5. We provide after-sale service all of our goods have 1-3 year warranty

Customized service: If you want shells of different colors, different materials, different batteries, and have different requirements for application scenarios, please spare no effort to tell us, and we will provide you with more considerate services

Specification	
Model	12.8V 300AH Battery
Battery Material	Lithium Iron Phosphate Battery
Nominal Voltage	12.8V
Nominal Capacity	300AH
Power	3.84KWH
Standard Charging Current	0.25C
Maximum Charging Current	0.5C @25°C
Charging Cut-off Voltage	14.6V
Standard Discharging Current	0.5C
Maximum Discharging Current	1C @25°C
Life Cycle Times	≧6000 Times
Dimesions(L*W*H)	680*450*885mm
Weight	About 40Kg
Warranty	2 Years
Charge Method	CC/CV
Communication interface	RS485/RS232/CAN
Operating Temperature	Charge Temperature :0°C~45°C
	Discharging Temperature:-20°C~50°C





PRODUCT APPLICATION











MEDICAL EQUIPMENT

UPS

WIND POWER

ELECTRIC VEHICLE

OUR PROJECT




















What can we offer?

- 1. Competitive price: factory price, we can give you more discount if order quantity is good.
- 2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
- 3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
- 4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.
- 5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Logistic Time:

- Material Preparation Time: 7-15 days (or inventory)
- Production & Assembly Time 3-10 days
- Testing & Packaging Time: 2-10 days
- Total Delivery Time: 30-45days
- The faster delivery could be negotiable.

Welocme to inquiry ,Thank you !!



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China