



IP54 Enviromental Friendly High Capacity SLA Replacement LifeP04 NIMH Lithium Battery For Electric Low Speed Vehicle

Basic Information

- Place of Origin:
- China Certification: ISO9001, MSDS, CE, ROHS, etc • Minimum Order Quantity: 100PCS • Price: Negotiable • Packaging Details: Standard Export Carton, Wooden Case ,Pallet etc. • Delivery Time: 7~30 days • Payment Terms: T/T Supply Ability: 3500 Per Months



Product Specification

• Cell Material:

Cell Brand:

• OEM/ODM:

 Voltage: Capacity:

- Lithium Iron Phosphate Battery/Ternary/NMC/NIMH,etc
- CATL/BYD/Domestic/SANYO/Sumsung/Pana
- 48V/Customized
 - 40AH/Customized(8AH,25AH,50AH,100AH,2
 - Acceptable

CC/CV

-20°C~45°C

35kg

- Charging Method:
- Weight:

• Highlight:

- Storage Temperature:
- IP54 LifeP04 Lithium Battery, High Capacity Lithium Battery, **NIMH Lithium Battery**



Product Description

IP54 Enviromental Friendly High Capacity SLA Replacement LifeP04 NIMH Lithium Battery For Electric Low Speed Vehicle

Features:

Low Internal Resistance, No Memory Effect , High Performance

High Energy Density ,High Discharge Voltage Rate,High Saftey

Easily Installatiom, Maintenance Free

IP55 water proof case, plastic or steel case available by customer's requirement. MOQ: 1pieces

Great Factory Price with Best Quality and After-Selling Serving

Original replacement battery, Perfect match with original battey

No memory effect, it can be charged at any stage, economically and conveniently

BMS&PCM function: Over-charge protection, Over-Discharge protection, Over-current protection, Short Circuit protection, High Temperature protection, Balance Charge/Discharge protection, Communication protocol function, Battery Power indicator.

Application:Smart Devices, medical devices, mechanical devices, energy storage, Motorcycles batteries, cars batteries, RV batteries, home solar system,Camper batteries, tuk-tuk batteries, sightseeing bus batteries, Pedicab batteries, yacht batteries, three wheeler vehicle batteries, Bank Power supply systems batteries, UPS batteries, Tricycles batteries, Limousine batteries, Telecom Stations batteries, Solar Energy Storage batteries, Wind Energy Storage batteries, Hospital Power Supply system batteries, Home Power System batteries, etc.

What can we offer?

1.Competitive price: factory price, we can give you more discount if order quantity is good.

2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.

3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.

4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.

5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Specification	
Nominal Voltage	48V
Nominal Capacity	40H
Charging Voltage	54V
Charging Current	≤10A
Charge Method	CC/CV
Discharging Current	50A
Discharging Cut-off Voltage	37.75V
Cycle Life Time	≧6000 Times
Dimension	L420*W265*H140mm
Shell Material	Plastice
Weight	35Kg
Communication	RS485/RS232/CAN
Operating Temperature	Charge:0°C~50°C
	Discharge: -10°C~60°C
Recomend Temperature	Charge:15°C~40°C
	Discharge:15°C~40°C
	Storage:-20°C~45°C







What can we offer? 1.Competitive price: factory price, we can give you more discount if order quantity is good.
 Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions
according to your needs.
3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll
reply you within 12 hours.
5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.
Logistic Time:
- Material Preparation Time: 7-15 days (or inventory)
- Production & Assembly Time 3-10 days
- Floduction & Assembly Time 5-10 days
- Testing & Packaging Time: 2-10 days
- Total Delivery Time: 30-45days
- The faster delivery could be negotiable.
Welocme to inquiry ,Thank you !!
YONGSHENG Yongsheng Technology Co., Ltd.
Tongsheng rechnology co., Ltu.

+86 13711839030 admin@ysxny.ltd
 Iithiumions-battery.com
 7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China