



Energy Saving High Saftey Multi-Functional SLA LifeP04 Lithium Battery With Bluetooth For RV /Camping Car

Our Product Introduction

Basic Information

- Place of Origin: China
- Certification: CE, MSDS, UN38.3,ROHS
- Minimum Order Quantity: 100PCS
- Price: Negotiable
- Packaging Details: Standard Export Carton,Wooden Case ,Pallet etc.
- Delivery Time: 7~30 days
- Payment Terms: T/T
- Supply Ability: 3500 Per Months



Product Specification

- Cell Brand: CATL/BYD/Domestic/SANYO/Sumsung/Pana
- Cell Material: Lithium Iron Phosphate Battery/Ternary/NMC/NIMH,etc
- Voltage: 12.8V/Customized
- Capacity: 80AH/Customized
- Max.Charging Current: 60AH
- Humidity: 15%~85%
- OEM/ODM: Acceptable
- Charging Current: 2A~20A
- Discharging Voltage: 1C
- Discharge Temperature: 15°C~40°C
- Highlight: **Bluetooth LifeP04 Lithium Battery, High Saftey LifeP04 Lithium Battery, Camping Car LifeP04 Lithium Battery**



for more products please visit us on lithiumions-battery.com

Product Description

Energy Saving High Saftey Multi-Functional SLA LifeP04 Lithium Battery With Bluetooth For RV /Camping Car

Features:

Low Internal Resistance, No Memory Effect, High Performance

High Energy Density, High Discharge Voltage Rate, High Saftey

Easily Installation, Maintenance Free

Using the Ternary Cell, Ternary cells can be charged quickly, which is important for EVs that require fast charging times. This allows for more convenient charging and reduces the time required to recharge the battery.

Great Factory Price with Best Quality and After-Selling Serving

Original replacement battery, Perfect match with original battey

Superior Safety: Lithium Iron Phosphate chemistry eliminates the risk of explosion or combustion due to high impact, overcharging or short circuit situation.

BMS&PCM function: Over-charge protection, Over-Discharge protection, Over-current protection, Short Circuit protection, High Temperature protection, Balance Charge/Discharge protection, Communication protocol function, Battery Power indicator.

Application: Smart Devices, medical devices, mechanical devices, energy storage, Motorcycles batteries, cars batteries, RV batteries, home solar system, Camper batteries, tuk-tuk batteries, sightseeing bus batteries, Pedicab batteries, yacht batteries, three wheeler vehicle batteries, Bank Power supply systems batteries, UPS batteries, Tricycles batteries, Limousine batteries, Telecom Stations batteries, Solar Energy Storage batteries, Wind Energy Storage batteries, Hospital Power Supply system batteries, Home Power System batteries, etc.



What can we offer?

1. Competitive price: factory price, we can give you more discount if order quantity is good.
2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
3. Quality Assurance: we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.
5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Customized service: If you want shells of different colors, different materials, different batteries, and have different requirements for application scenarios, please spare no effort to tell us, and we will provide you with more considerate services

Specification	
Nominal Capacity	80AH
Nominal Voltage	12.8V
Cycle Times	10000Times
Dimension	L329*W172*H219mm
Weight	13Kg
Combination	Two Parallel
Charging Voltage	14.4V~14.6V
Discharging Voltage	1C
Charging Current	2A~20A
Discharging Current	40A
Max.Cont Discharging Current	100A
Max.Cont Charging Current	14.6A
Altitude	≤4000m
Humidity	15%~85%
Operating Temperature	Charge: 0°C~50°C
	Discharge: -10°C~60°C
Recomend Temperature	Charge: 15°C~40°C
	Discharge: 15°C~40°C
	Storage: -20°C~45°C







What can we offer?

1. Competitive price: factory price, we can give you more discount if order quantity is good.
2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
3. Quality Assurance: we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.
5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Logistic Time:

- Material Preparation Time: 7-15 days (or inventory)
- Production & Assembly Time 3-10 days
- Testing & Packaging Time: 2-10 days
- Total Delivery Time: 30-45 days
- The faster delivery could be negotiable.

FAQ:

Q1. Can I have a sample order?

A. Yes, we welcome sample order to test and check quality.

Q2. Do you have any MOQ limit?

A. Yes, we have MOQ for mass production, it depends on the different part numbers. 1~10 pcs sample order is available. Low MOQ, 1 pc for sample checking is available.

Q3. How to proceed with an order?

A. Firstly let us know your requirements or application. Secondly, we quote according to your requirements or our suggestions. Thirdly customer confirms the samples and places a deposit for formal order. Fourthly we arrange the production.

Q4. Is it OK print my logo on the product?

A. Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q5. Which certificates do you have?

A. We have CE/FCC/ROHS/UN38.3/MSDS ... etc.

Q6. How about warranty?

A. 2 years warranty. Enable to prolong.

Welocme to inquiry ,Thank you !!



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China