



CAN RS485 UPS Lithium Battery Cabinet 25.6KWH For Photovoltaic Solar Systems Backup

Our Product Introduction

for more products please visit us on lithiumions-battery.com

Basic Information

- Place of Origin: China
- Certification: MSDS, UL, CE, ROHS, etc
- Minimum Order Quantity: 100PCS
- Price: Negotiable
- Packaging Details: Standard Export Carton, Wooden Case, Pallet etc.
- Delivery Time: 7~30 days
- Payment Terms: T/T
- Supply Ability: 3500 Per Months



Product Specification

- Cell Brand: CATL/BYD/Domestic/EVE/SANYO/Samsung/
- Voltage: 51.2V/Customized
- Capacity: 100AH/Customized(200AH,300AH,600AH...)
- Cell Material: Lithium Iron Phosphate Battery/Ternary/NIMH/NCM,etc
- OEM/ODM: Acceptables
- Communication Protocol: Deye/Must/Growatt/Megarevo/SRNE/INVT/Sz
- Operating Voltage: 256V
- Max Continuous Charge Current: 50A
- Highlight: **CAN UPS Lithium Battery, RS485 UPS Lithium Battery, 25.6KWH Lithium Ion Battery Cabinet**



Product Description

CAN/RS485 Approved High Temperature Cabinet 25.6KWH BYD Cell With LCD Indicator For Photovoltaic Solar Systems Backup

Features:

Flexible Design, Randomly Stacked batteries according to the scene, each module battery is 5KWH
 Environmental Friendly, Pass CE/ROHS/UL, etc
 High Performance, High Energy Density, Each Battery Can be Charging And Discharging
 Powerful production capability and Short Lead Time.
 No memory effect: It can be recharged anytime, no reduction of the capacity.
 With best performance in a wide temperature range -20°C--60°C
 Great Factory Price with Best Quality and After-Selling Service
 Using lithium Iron Phosphate Battery, Can be Customized Other Cell Material

Application: solar, wind complementary stored energy streetlights, energy storage systems, household energy storage. Power Supply: communication base station power supply, utility power supply, communication industry, emergency power supply and other system standby power etc

OEM/ODM service: If you want shells of different colors, different materials, different batteries, and have different requirements for application scenarios, please spare no effort to tell us, and we will provide you with more considerate services

Specification	
Number of Modules	5
Nominal Capacity	100AH
Energy	25.6kwh
Max Continuous Charge Current	50A
Max Output Current	50A
Peak Output Current	60A
Operating Voltage	256V
Dimensions(H/W/D)	224~288V
Weight	246Kg
Diemsion	1055x620x380mm
Operating Temperature	0°C to +50°C
Communication	CAN/RS485
Enclosure Protection Rating	IP54
Round-trip Efficiency	≥96%
Applications	ON Grid + Backup / OFF Grid
Warranty	8 Years





High Voltage and High Current Aging



Automatic Spot Welding Equipment



Salty Spray Box




Vibration Equipment



Pack Testing Equipment




Cell Sorting Equipment






Different current/Temperature Discharge curve

● Different Rate Discharge Curve @25℃



● Different Temperature Discharge Curve @0.5C





Q6. How about warranty?
A. 6 years warranty. Enable to prolong.

Welocme to inquiry ,Thank you !!

Compatible with various international brands of inverters



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong
Province, China