



Commercial UPS Battery Lithium Ion , 1MWH 500KWH Lithium UPS Power Supply

Basic Information

• Place of Origin: China

• Certification: CE,ROHS UN38.3

Minimum Order Quantity: 1PCSPrice: Negotiable


Packaging Details: Standard Export Carton, Wooden Case

,Pallet etc.

• Delivery Time: 7~30 days

• Payment Terms: T/T

Supply Ability: 3500 Per Months



Product Specification

Rated Capacity: 1 MWHOEM/ODM: AcceptableDimension: 40ft

• Single Cell: 3.2V/6Ah(57600PCS)

• Battery Box Size: 625*520*250

Self Discharge: 25°C Per Month≤5%
Battery Box: 38.4V/240Ah(120PCS)

• Charge Method: CC/CV

• Highlight: Commercial UPS Battery Lithium Ion,

1MWH UPS Battery Lithium Ion, 500KWH Lithium UPS Power Supply



Product Description

High Power Commercial ESS 1MWH 500KWH On Grid/Off Grid Solar LFP Container Energy Stroage Systems

Brief Introduction:

The whole energy storage system is 500KW/1MWh, the actual battery energy of a single container energy storage system is 500KW/1.105MWh. The system have 6 battery strings (including BMS), 1 set 500KW PCS, 1 set EMS, air conditioner, fire extinguisher system and other accessory equipments.

Application:UPS,Island micro grid, Power stations with new or distributed energy access; Small fire peak and frequency modulation power station Outdoor temporary heavy duty center, Load fluctuations of the factory, enterprise, business center etc.

Specification		
Single Cell 3.2V/6AH	Quantatiy:57600PCS	
	Weight:145g	
Battery Box 38.4V/240ah	Quantatiy:120PCS ,20 pcs battery boxes connecting in series to	
	1 battery string,totally 6 battery strings	
	Weight:90kg	
Host BMS	7 Set,1 host 20 slave per string	
Battery cabinet	6set,size:1.846*0.63*2.388m	
PCS	1 Set 500kW	
Power Distribution Box	1Set	
Containe	1Set:40ft container including fire fighting,air conditioner,lighting and so on.	

Item	Battery box
Rated voltage/capacity	38.4V240Ah
Energy/kWh	9.216
Depth of discharge(DOD)	95%
Cycle life(0.25C,room	85%DOD,over 6000
temp)	cycles
Storage temp	25-45°C is best
Self discharge	25°C,month/≤5%
Size(L*W*H)/mm	625*520*250

Battery box	Battery system
Rated voltage/capacity	768V240Ah
Energy/kWh	184.32
Depth of discharge(DOD)	Over 90%
Cycle life(0.25C,room	85%DOD,over 6000
temp)	cycles
Storage temp	25-45°C is best
Self discharge	25°C,month/≤5%
Size(L*W*H)/mm	1846*630*2388



















What can we offer?

- 1. Competitive price: factory price, we can give you more discount if order quntity is good.
- 2. Technical support : we have 20 person R&D team, can help you solve any technical problems and privde customized battery solutions according to your needs.
- 3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
- 4. After-sale service: we have excellent after-sale service team, if you have any question about this product,pls feel free to contact us, we'll reply you within 12 hours.
- 5. Customized batetry solutions based on customer's needs, accept OEM/ODM orders.

Delivery Methods:

- ① By express UPS/DHL/FEDEX/TNT (It takes 5~7 days to arrive).
- ② By airfreight (It takes about 7~10 days to arrive) .
- 3 By sea shipment (It takes about 30 days to arrive).

Welcome to Inquiry ,Thank you!!











7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China