



Lightweight IP65 Lithium Battery For E Bike Impact Resistant

Our Product Introduction

for more products please visit us on lithiumions-battery.com

Basic Information

- Place of Origin: China
- Certification: ISO14001, UL, CE, ROHS, etc
- Minimum Order Quantity: 100PCS
- Price: Negotiable
- Packaging Details: Standard Export Carton, Wooden Case, Pallet etc.
- Delivery Time: 7~30 days
- Payment Terms: T/T
- Supply Ability: 3500 Per Months



Product Specification

- Cell Brand: CATL/BYD/Domestic/EVE/SANYO/Samsung/
- Cell Material: Lithium Iron Phosphate Battery/Ternary/NIMH/NCM, etc
- Capacity: 10AH/Customized
- Max. Output Voltage: 29.4V
- Charging Current: 1.8A~2.2A
- Voltage: 24V/Customized
- Charging Port: DC/Lotus Head/Canon Head/Customized
- Shell Material: Aluminum Shell
- Highlight: **Lightweight Lithium Battery For E Bike , IP65 Lithium Battery For E Bike , Lithium Ion Battery For E Bike**



More Images



Product Description

IP65 Light Weight 24V 36V 48V 10AH 20AH 18650 Lithium Electric Bike Battery Redar For Electric Bicycle Battery

Features:

Steady performance at different temperatures
 Using Ternary Cell, Can be Customized Other Cell Material
 OEM and ODM are Acceptables
 Longer Cycle Life Time ,More Than 1000Cycle Times
 Bluetooth APP available on request to see the status of the battery
 Easily Installation ,Maintenance Free
 Pollution Free, Pass CE/ROHS, etc
 Sufficient Volume, Long Lasting Life
 A variety of charging and discharging interfaces can be customized
 Steady performance at different temperatures
 Great Factory Price with Best Quality and After-Selling Service
 Intelligent BMS management, multiple security function protection, all-round protection

Application: Electric Bike/Electric Scooter/Electric Two Wheels Vehicles/Electric Three Wheels Vehicles/E-Bike/E-Scooter/Electric Motorcycle

How to buy the right electric vehicle battery:

1. Please confirm the voltage and capacity of the electrified equipment
2. Please confirm the motor power value
3. Battery size, optional factory fixed size or customized size

OEM/ODM service: If you want shells of different colors, different materials, different batteries, and have different requirements for application scenarios, please spare no effort to tell us, and we will provide you with more considerate services

Specification	
Nominal Voltage	24V
Nominal Capacity	10ah
Nominal output Voltage	26.6V
Max. Output Voltage	29.4V
Minimum Output Voltage	21V
Cell Over Discharge Protection Voltage	2.68V~2.72V
Cell Overcharge Protection Voltage	4.225V~4.275V
Charging Voltage	29.4V
Charging Current	1.8a~2.2A
Max. Discharge Current	20A
Fuse	30A
Discharging Temperature	-20°C~45°C
Charging Temperature	0 ~ 55°C
Weight	About 2.9kg
Size	157.5mm×70mm×46mm(±2mm)



Portable handle

Easier to carry batteries.
Disassembly and assembly is more convenient.



USB Charge Socket

The charge current for this socket can not be more than 5amps.



Safe lock

Unlock: The battery can be taken off.



Charge socket

The charge current can not be more than 3 amps.



Battery level light

- ● ● 1Red 2 Green-100%
- ● 1Red 1 Green-50%
- 1Red 0 Green-20%

REMOVABLE 36V 8AH LITHIUM-ION BATTERY

ELECTRIC MODE



22-25mi

PAS MODE




43-50mi




Different current/Temperature Discharge curve

● Different Rate Discharge Curve @25℃



● Different Temperature Discharge Curve @0.5C





What can we offer?

1. Competitive price: factory price, we can give you more discount if order quantity is good.
2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
3. Quality Assurance: we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.
5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Logistic Time:

- Material Preparation Time: 7-15 days (or inventory)
- Production & Assembly Time 3-10 days
- Testing & Packaging Time: 2-10 days
- Total Delivery Time: 30-45 days
- The faster delivery could be negotiable.

FAQ:

Q1. Can I have a sample order?

A. Yes, we welcome sample order to test and check quality.

Q2. Do you have any MOQ limit?

A. Yes, we have MOQ for mass production, it depends on the different part numbers. 1~10pcs sample order is available. Low MOQ, 1pc for sample checking is available.

Q3. How to proceed with an order?

A. Firstly let us know your requirements or application. Secondly, we quote according to your requirements or our suggestions. Thirdly customer confirms the samples and places a deposit for formal order. Fourthly we arrange the production.

Q4. Is it OK print my logo on the product?

A. Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q5. Which certificates do you have?

A. We have CE/FCC/ROHS/UN38.3/MSDS ... etc.

Q6. How about warranty?
A. 1 years warranty. Enable to prolong.

Welocme to inquiry ,Thank you !!



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong
Province, China