



## ISO9001 Rainproof Ebike Lithium Battery , Multipurpose Electric Vehicles Battery

Our Product Introduction

### Basic Information

- Place of Origin: China
- Certification: ISO9001, UN38.3, UL, CE, ROHS, etc
- Minimum Order Quantity: 100PCS
- Price: Negotiable
- Packaging Details: Standard Export Carton, Wooden Case, Pallet etc.
- Delivery Time: 7~30 days
- Payment Terms: T/T
- Supply Ability: 3500 Per Months



### Product Specification

- Cell Brand: CATL/BYD/Domestic/EVE/SANYO/Samsung/
- Cell Material: Lithium Iron Phosphate Battery/Ternary/NIMH/NCM, etc
- Capacity: 13AH/Customized(10AH, 30AH, 40AH)
- Voltage: 48V/Customized(36V/52V)
- Weight: About 3Kg
- OEM/ODM: Acceptable
- Maximum Continuous Working Current: 15A
- Discharge Cut-off Voltage: 25V
- Highlight: **ISO9001 Ebike Lithium Battery, Rainproof Ebike Lithium Battery, Multipurpose Electric Vehicles Battery**



for more products please visit us on [lithiumions-battery.com](http://lithiumions-battery.com)

## Product Description

### High Density 36V/48V 10S5P/10S6P/13S3P/13S4P Hai Long Type Rainproof Electric Bike Pack With Redar For Electric Vehicles

#### Quick Details:

Enviromental Friendly ,pass MSDS/CE,etc

High Energy Density ,Each Battery Can be Fully Charging and Discharging

Original replacement battery,Perfect match with original battery

Data monitoring during the whole life of battery pack

Here has Battery level Light:1 Red 3 Green — 100%/ ; 1 Red 2Green — 75% ; 1Red 1Green — 50% ; 1Red 0Green—25%

Very safe: It have the best safety and steady performance, no fire, no exploding under the condition of over-charge.

Great Factory Price with Best Quality and After-Selling Service

**Application:**Electric Bike/Electric Scooter/Electric Two Wheels Vehicles/Electric Three Wheels Vehicles/E-Bike/E-Scooter/Electric Motorcycle  
Electric Folding Bike/Golf Cars/Electric Wheeled Chairs

#### How to buy the right electric vehicle battery:

- 1.Please confirm the voltage and capacity of the electrified equipment
- 2.Please confirm the motor power value
- 3.Battery size, optional factory fixed size or customized size

Specification	
Working Temperature	charging:10~45°C
	discharge:-20~60°C
Weight	3KG
Voltage	36V/48V
Rated capacity	10Ah 13Ah 20ah
Configuration	10S4P/10S5P/10S6P/13S3P/13S4P/13S5P/13S6P
Maximum charging current	3Ah
Maximum continuous working current	15A (Could be customized)
Maximum Discharge Current	30A (Could be customized)
Discharge cut-off voltage	25V
Cycles life	500 times
Case Material	PC+ABS
Power	350W-750W
Over-charged Protection Voltage	4.25±0.025V/Cell(adjustable)
Over -discharged Protection Voltage	2.50±0.10V/Cell(adjustable)
Battery BMS Function:	Over-charge, Over-discharge, Over-current, Temperature protection, Cell balancing, Secondary protection.
Battery Charging Time(Hrs):	3~4 Hours (Fast)
	6~7 Hours (Standard)

## Battery Level Light

Press the button the light will turn on.

25% Power 50% Power 75% Power 100% Power



## Charge Socket

the charge current for this socket can't be more than 5Amps. "PUSH" cover prevents water ingress



Switch card charging port



Discharge base

## Dragon series styles

Dragon One/Dragon II



Dragon one



Dragon II

## product details









Q4. Is it OK print my logo on the product?

A. Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q5. Which certificates do you have?

A. We have CE/FCC/ROHS/UN38.3/MSDS ... etc.

Q6. How about warranty?

A. 1 years warranty. Enable to prolong.

**Welocme to inquiry ,Thank you !!**



**Yongsheng Technology Co., Ltd.**



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China