



Anti Fall Lithium Electric Bike Battery Rechargeable 48V/52V 15AH With **Bluetooth**

Basic Information

- Place of Origin:
- FCC,ISO14001, UL, CE, ROHS, etc Certification: • Minimum Order Quantity:
- Price: Negotiable
- Packaging Details:
- Delivery Time:

100PCS

China

7~30 days

3500 Per Months

- Standard Export Carton, Wooden Case ,Pallet etc.
- Payment Terms: T/T
- Supply Ability:

Product Specification

- Cell Brand:
- Cell Material:
- Capacity:
- Voltage:
- Discharge Connector:
- Shipments Voltage:
- OEM/ODM:
- BMS:
- Highlight:

- CATL/BYD/Domestic/EVE/SANYO/Samsung/ Lithium Iron Phosphate
- Battery/Ternary/NIMH/NCM,etc
- 15AH/Customized(8AH,20AH,30AH,40AH)
- 48V/Customized(36V/52V)
- 5 Pin
- 46.3~47.3V
 - Support
 - Yes
 - Anti Fall Lithium Electric Bike Battery, Lithium Electric Bike Battery Rechargeable



More Images



Deep Cycle Anti-Fall Shell Hai Long Series Bike Battery With Bluetooth Rechargeable 48V/52V 15AH For Electric Scooter

Quick Details:

Steady performance at different temperatures

Built-in intelligent imported IC protection board, 8 protection functions: equalization function, overvoltage protection, overcharge protection,

overdischarge protection, overcurrent protection, short circuit protection, charging protection, charging anti-reverse Detachable charging design, using precision process ABS waterproof sealed shell, dripping water is difficult to enter

High temperature and low temperature lithium battery, working temperature: -20 °C \sim 60 °C

A variety of discharge socket options can be adapted to a variety of electric vehicles

Outstanding Stable discharge characteristics

Using Ternary Battery ,Can be Customized Other Cell Material

Original replacement battery, Perfect match with original battery

Great Factory Price with Best Quality and After-Selling Service

Application: Electric Bike/Electric Scooter/Electric Two Wheels Vehicles/Electric Three Wheels Vehicles/E-Bike/E-Scooter/Electric Motorcycle Electric Folding Bike/Golf Cars/Electric Wheeled Chairs

How to buy the right electric vehicle battery:

1.Please confirm the voltage and capacity of the electrified equipment

2.Please confirm the motor power value


3.Battery size, optional factory fixed size or customized size

Specification	
Specification	48V 10Ah-17Ah
Cells	65PCS 18650 or soft-pack battery
Electric Qty Display	48V/36V 4LED
Charge Connector	4PIN
Fuse Holder	6/30A
Discharge Connector	5PIN
Lock	yes
Shell material	PC+ABS
content	Testing method
Charge cut-off voltage	54.6V
Discharge cut-off voltage	35.75V
Standard charge	Under the condition of the ambient temperature of 25 ± 2 °C , Charge the battery at constant current of 0.2C to reach 54V. Then charge the battery at constant 54.6V voltage until the charging current decreasing to 0.02C.
Standard discharge	After the standard charging , rest for 1 hour then discharge to 35.75V@0.2C.
Shipments voltage	46.3-47.3V
Maximum Charge Current	3A
Maximum continuous working current	≤20A
Rated capacity	Typical capacity:7.8Ah or customized
	Minimum capacity:7.5Ah-5% or customized
Operation temperature range	10~45°C
	-20~60°C
Storage temperature	≤1 month: -20 ~ 45°C
	≤3 months: -10 ~ 30°C
	≤1 year: 0 ~ 30°C
Impedance	Subject to sample



Dragon one

Dragon II



product details







What can we offer?

1.Competitive price: factory price, we can give you more discount if order quantity is good.

2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.

3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.

4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.

5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Packing Details:

Strong and protective package way will protect each battery well. Base on different transportation way, the battery package will be customized. Different transportation way will be selected according to customers' requirements.

Logistic Time:

- Material Preparation Time: 7-15 days (or inventory)
- Production & Assembly Time 3-10 days
- Testing & Packaging Time: 2-10 days
- Total Delivery Time: 30-45days

- The faster delivery could be negotiable.

FAQ:

Q1. Can I have a sample order? A. Yes, we welcome sample order to test and check quality.

Q2. Do you have any MOQ limit?

A.Yes, we have MOQ for mass production, it depends on the different part numbers. 1~10pcs sample order is available. Low MOQ, 1pc for sample checking is available.

Q3. How to proceed with an order?

A. Firstly let us konw your requirements or application. Secondly, we quote according to your requirements or our suggestions. Thirdly customer confirms the samples and places a deposit for formal order. Fourthly we arrange the production.

Q4. Is it OK print my logo on the product? A. Yes. Please inform us formally before our production and confirm the design firstly based on our sample. Q5. Which certificates do you have?	
A. We have CE/FCC/ROHS/UN38.3/MSDS etc. Q6. How about warranty? A. 1 years warranty. Enable to prolong.	
Welocme to inquiry ,Thank you !!	
YONGSHENG Yongsheng Technology Co., Ltd.	
K +86 13711839030 admin@ysxny.ltd lithiumions-battery.com	
7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China	