



10S4P 36V/48V Lithium Electric Bike Battery Black Rear Hanger Tail Series 10.4AH

Basic Information

Place of Origin: China

• Certification: MSDS, FCC,UL, CE, ROHS, etc

Minimum Order Quantity: 50PCSPrice: Negotiable

Packaging Details: Standard Export Carton, Wooden Case

,Pallet etc.

• Delivery Time: 7~30 days

• Payment Terms: T/T

Supply Ability: 3500 Per Months



Product Specification

Cell Brand: CATL/BYD/Domestic/EVE/SANYO/Samsung/

Cell Material: Lithium Iron Phosphate

Battery/Ternary/NIMH/NCM,etc

• Capacity: 10.4H/Customized(7AH~13.6AH)

• Voltage: 36V/Customized 48V

Minimum Capacity: 7.5Ah
 OEM/ODM: Acceptable
 Maximum Number Of Cells: 40 Pieces
 Charge Cut-off Voltage: 42V

• Highlight: 36V Lithium Electric Bike Battery,

Lithium Electric Bike Battery 10.4AH



Product Description

10S4P Black Rear Hanger Tail Series No Memory Effect 36V/48V 10.4AH Matt Black Electric Bike For Electric Tricycle

Quick Details:

The shell uses ABS+PC, which is stronger and more environmentally friendly

Steady performance at different temperatures

Perfect Match With Original Product

The Discharge Port Can be Customized according to your requirements such as Round hole plug, plug T90, Anderson plug, bullet, alligator clip...

User longer than original

Sturdy case, Using Aluminum Case, More Safety

Comprehensive security protection:Over current Protection,Short Circuit Protection ,Over Temperature Protection

Industrial grade high performance lithium battery

No Fear of Wind and Rain, Waterproof and drop proof

The battery itself has its own explosion-proof valve, no explosion, no spontaneous combustion, high temperature resistance, good performance, and overcharge resistance

Great Factory Price with Best Quality and After-Selling Service

Application: Electric Bike/Electric Scooter/Electric Two Wheels Vehicles/Electric Three Wheels Vehicles/E-Bike/E-Scooter/Electric Motorcycle Electric Folding Bike/Golf Cars/Electric Wheeled Chairs


How to buy the right electric vehicle battery:

- 1.Please confirm the voltage and capacity of the electrified equipment
- 2.Please confirm the motor power value
- 3. Battery size, optional factory fixed size or customized size

Specification	36V- 48V 7Ah-13.6Ah
Inner size	310*102*41mm
Cells	40PCS 18650 or soft-pack battery
Electric Qty Display	36V/48V
Onoff Button	KCD1-101
Charge Connector	DC2.1
Fuse Holder	5a
Discharge Connector	FDDZ-4
USB	USB-1 5V
Apply to	ALL BIKES
content	Testing method
Charge cut-off voltage	42V
Discharge cut-off voltage	27.5V
Standard charge	Under the condition of the ambient temperature of 25 ± °C, Charge the battery at constant current of 0.2C to reach 36V. Then charge the battery at constant 36V voltage until the charging current decreasing to 0.02C.
Standard discharge	After the standard charging , rest for 1 hour then discharged to 27.5V@0.2C.
Shipments voltage	35.8-36.5V
Maximum Charge Current	3A
Maximum continuous working current	≤20A
Rated capacity	Typical capacity:7.8Ah or customized Minimum capacity:7.5Ah-5% or customized
Operation temperature range	10~45°C
	-20~60°C
Storage temperature	≤1 month: -20 ~ 45°C
	≤3 months: -10 ~ 30°C
	≤1 year: 0 ~ 30°C
Impedance	Subject to sample

























What can we offer?

- 1. Competitive price: factory price, we can give you more discount if order quantity is good.
- 2. Technical support : we have 20 person R&D team, can help you solve any technical problems and provide customized battery solutions according to your needs.
- 3. Quality Assurance:we have our own testing lab, all the batteries have 100% QC inspection before delivery, and we can provide testing reports for you.
- 4. After-sale service: we have excellent after-sale service team, if you have any question about this product, plus feel free to contact us, we'll reply you within 12 hours.
- 5. Customized battery solutions based on customer's needs, accept OEM/ODM orders.

Packing Details:

Strong and protective package way will protect each battery well.

Base on different transportation way, the battery package will be customized.

Different transportation way will be selected according to customers' requirements.

Logistic Time:

- Material Preparation Time: 7-15 days (or inventory)

- Production & Assembly Time 3-10 days

- Testing & Packaging Time: 2-10 days

- Total Delivery Time: 30-45days

- The faster delivery could be negotiable.

FAQ:

Q1. Can I have a sample order?

A. Yes, we welcome sample order to test and check quality.

Q2. Do you have any MOQ limit?

A.Yes, we have MOQ for mass production, it depends on the different part numbers. 1~10pcs sample order is available. Low MOQ, 1pc for sample checking is available.

Q3. How to proceed with an order?

A. Firstly let us konw your requirements or application. Secondly, we quote according to your requirements or our suggestions. Thirdly customer confirms the samples and places a deposit for formal order. Fourthly we arrange the production.

Q4. Is it OK print my logo on the product?

A. Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q5. Which certificates do you have?

A. We have CE/FCC/ROHS/UN38.3/MSDS \dots etc.

Q6. How about warranty?

A. 1 years warranty. Enable to prolong.

Welocme to inquiry ,Thank you !!



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China