



High Energy Density Green Flame Retardant DC 12v Portable Power Pack With Bluetooth For Drone

Basic Information

• Place of Origin: China

• Certification: UN38.3,UL, PSE,MSDS

Model Number: 600WY4
Minimum Order Quantity: 10 PCS
Price: Negotiable

Packaging Details: Standard Export Carton, Wooden Case

.Pallet etc

• Delivery Time: 7-10 days for sample, 20-25days for bulk

orders

• Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 1000 PCS per day



Product Specification

Battery Chemistry: Li-Ion Battery
Surge Power: 1200W
Bluetooth: Support
Warranty: 3 ~5Years
Application Scenarios: Blackout
Power On Static: 10W
Overtemperature Recovery: ≤70°C

Net Weight: About 6.5Kg

• Highlight: Green flame retardant Portable Power Pack,

High Energy Density Portable Power Pack,

12v Portable Power Pack



More Images







Product Description

High Energy Density Green flame retardant DC 12v portable power pack With Bluetooth For Drone

Quick Details

With LFP cells, 600WY4 safe, durable, and highly efficient.

Dual Solar Input System with Independent MPPT Technology

Maximize solar generation by harnessing multiple PV sources

Maximize the potential of solar energy by simultaneously utilizing multiple photovoltaic (PV) sources with our innovative dual solar input design, each with its independent Maximum Power Point Tracking (MPPT) technology. Enjoy a seamless integration of solar power into your home or business whether you have multiple solar panels or a combination of rooftop and ground-mounted installations, making the most of every ray of sunshine

Streamlined handle design, ergonomic, more convenient and lighter

Application:

BlackOut/Home Backup System/Outdoor Camping/EV Power Sypply/ Disaster/ Lightening Backup System/UPS Backup System

		Specification
Battery	Battery Type	Lithium Iron Phosphate Battery
	Battery Combination Type	6S2P
	Battery Voltage Range	15~21.9V
	Cycle Life	More than 2500 Cycle Life
	Charge Time	5~6 Hours
	Cut-off voltage when fully charged	21.9V±0.1V
	DC5521 Voltage and Current	12~24V/1~5A (120W power adapter)
Input	Range	
	DC5521 Voltage and Current	12V-24V/1-5A (Car charger 12-24V)
	Range	
	DC5521 Voltage and Current	12V-24V/1-5A (Solar Panel)
	Range	
	USB-Type C Power	PD 100W(20V*5A)
Output	AC Output Voltage	220V/110V 50HZ/60HZ
	AC Output waveform	Pure Sine Wave
	AC Output Power	600W
	AC Peak Output Power	1200W Peak maintenance time <50ms
	AC output overpower protection	650W
	DC Cigarette Lighter+DC5521 (x2	MAX 120W
	interfaces)	
	USB A Port Power	QC3.0 MAX 18W 12V/1.5A
	USB A Port :SCP maximum output	Maximum 22.5W
	power	
	USB B Port Power	QC3.0 MAX 18W 12V/1.5A
	USB B Port :SCP maximum output	Maximum 22.5W
	power	
	TYPE-C1	PD/QC3.0 MAX 30W 12V/2.5A
	TYPE-C2	PD 100W
	DC12V	12V/10A MAX
Product	LCD Display Screen	Support
	Power on static	10W
		Protection Function Protection against short circuit, overload, over temperature, over voltage, over currer under voltage, etc.
	Protection Function	
	Over temperature protection	≥85°C
	Overtemperature recovery	<70°C
	Product Weight	About 6.5Kg
	Product Demension	270*210*220mm
	Battery Pack Shell	PC+V0 flame retardant
	•	Green panel (regular colors: green, black, white, orange, silver gray, available
	Battery Pack Color	Customized colors)



Multi-port output Using multiple devices simultaneously









Packing and Shipping:

product will be securely packaged in a cardboard box. The box will have the product name and image printed on it. Inside the box, the product will be wrapped in bubble wrap to ensure that it is protected during shipping.

Shipping:

The product will be shipped via standard ground shipping. Customers will receive a tracking number via email to track their shipment.

FAQ

- Q: What certifications does this product have?
- A: This product is certified by UN38.3, MSDS, ROHS, and CE.
- Q: What is the minimum order quantity for this product?
- A: The minimum order quantity for this product is 10PCS.
- Q: What are the payment terms for this product?

- A: The payment terms for this product are T/T, D/A, D/P, and Western Union.
- Q: What is the supply ability for this product?
- A: The supply ability for this product is 10000PCS/MONTH.

Q:How many solar panels can I use at the same time?

It depends on the combined voltage and current of the solar panels you choose. It's fine as long as the solar panels use connectors and their combined voltage and current are within 11-150 volts and under 15 amps.

Welcome to Inquiry!



Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China