



High Efficiency 600WH Solar Portable Power Station 220V Pure Sine Wave AC Outlets With App For Home Backup System

Basic Information

Place of Origin: China

Certification: GOST/MSDS
Model Number: 600WY4
Minimum Order Quantity: 30 PCS
Price: Negotiable

Packaging Details: Standard Export Carton, Wooden Case

,Pallet etc

• Delivery Time: 7-10 days for sample, 20-25days for bulk

orders

• Payment Terms: T/T, Western Union, MoneyGram,

L/C/Payable

• Supply Ability: 1000 PCS per day



Product Specification

• Battery Cell Model: 33140 Model

Application: CAPA/Home Backup System /RV Camping

Capacity: 600WHLCD: SupportProduct Weight: 6.5Kg

USB-B QC3.0: MAX 18W 12V/1.5A

BMS: Yes

AC Output Overpower

Protection:

610W~ 800W

• Highlight: 220V Solar Portable Power Station,

600WH Solar Portable Power Station, High Efficiency Solar Portable Power Station



More Images







Product Description

High-Efficiency 600WH Solar Portable Power Station 220V Pure Sine Wave AC Outlets With App For Home Backup System

Quick Details

Green and Renewable Energy. Rechargeable with solar panels, providing green and renewable energy.

Industry-leading high-quality components ensuring 10 years of product life.

Comes with LED lighting, supports strong light, soft light, SOS flash three-level adjustment, suitable for night lighting, emergency disaster relief, etc.

Smart BMS Protections. Prevents overcharge, over-discharge, overheating, and other anomalies.

Our Services & Strength

With reliable test equipments, batteries parameter and specification can satisfy the customers' requirements and meet the market standards well. Quality can be guaranteed and assured for shipments.

| | | Specification | | |
|---------|------------------------------------|---|--|--|
| Battery | Battery Type | Lithium Iron Phosphate Battery | | |
| | Battery Combination Type | 6S2P | | |
| | Battery Voltage Range | 15~21.9V | | |
| | Cycle Life | More than 2500 Cycle Life | | |
| | Charge Time | 5~6 Hours | | |
| | Cut-off voltage when fully charged | 21.9V±0.1V | | |
| | DC5521 Voltage and Current | 12~24V/1~5A (120W power adapter) | | |
| | Range | 12~24V/1~5A (120VV power adapter) | | |
| | DC5521 Voltage and Current | 12V-24V/1-5A (Car charger 12-24V) | | |
| Input | Range | 12V-24V/1-3A (Oat Charger 12-24V) | | |
| | DC5521 Voltage and Current | 12V-24V/1-5A (Solar Panel) | | |
| | Range | · | | |
| | USB-Type C Power | PD 100W(20V*5A) | | |
| | AC Output Voltage | 220V/110V 50HZ/60HZ | | |
| | AC Output waveform | Pure Sine Wave | | |
| | AC Output Power | 600W | | |
| | AC Peak Output Power | 1200W Peak maintenance time <50ms | | |
| | AC output overpower protection | 650W | | |
| | DC Cigarette Lighter+DC5521 (x2 | MAY 400M | | |
| | interfaces) | MAX 120W | | |
| Output | USB A Port Power | QC3.0 MAX 18W 12V/1.5A | | |
| Output | USB A Port :SCP maximum output | Maximum 22.5W | | |
| | power | Maximum 22.5W | | |
| | USB B Port Power | QC3.0 MAX 18W 12V/1.5A | | |
| | USB B Port :SCP maximum output | Maximum 22.5W | | |
| | power | IVIAXIIIIUIII 22.3VV | | |
| | TYPE-C1 | PD/QC3.0 MAX 30W 12V/2.5A | | |
| | TYPE-C2 | PD 100W | | |
| | DC12V | 12V/10A MAX | | |
| | LCD Display Screen | Support | | |
| | Power on static | 10W | | |
| | Protection Function | Protection against short circuit, overload, over temperature, over voltage, over current, | | |
| | | under voltage, etc. | | |
| | Over temperature protection | ≥85°C | | |
| Product | Overtemperature recovery | ≤70°C | | |
| | Product Weight | About 6.5Kg | | |
| | Product Demension | 270*210*220mm | | |
| | Battery Pack Shell | PC+V0 flame retardant | | |
| | Pottom Pook Color | Green panel (regular colors: green, black, white, orange, silver gray, available | | |
| | Battery Pack Color | Customized colors) | | |















Packing Details:

Strong and protective package way will protect each battery well.

Base on different transportation way, the battery package will be customized.

Different transportation way will be selected according to customers' requirements.

FAQ:

Q: What certifications does this product have?

A: This product is certified by UN38.3, MSDS, ROHS, and CE.

Q:How long can your charging station provide power if the power is cut off at any time? A:Our charging station can provide power within 10 to 20 seconds

Q:Does your charging station come with an adapter when purchased? A:Sure

Q:How many years of warranty do you have? A:3~5 Years .We can prolong the warranty

Q:Can you customize the AC outlet specifications?
A:Yes, please let our sales team know when placing an order.Thank you

| Welcome to Inquiry! | | | |
|---------------------|--|--|--|
| | | | |
| | | | |
| | | | |



YONGSH≣NG Yongsheng Technology Co., Ltd.



+86 13711839030



admin@ysxny.ltd



lithiumions-battery.com

7th Floor, Building 1, Wanfeng Technology Industry Center, Changping Town, Dongguan City, Guangdong Province, China